

L Number	Hits	Search Text	DB	Time stamp
1	73789	((graphical user) adj1 interface) gui	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:16
2	1	((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with age	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:17
3	4541	((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:49
4	112054	(user customer operator) near1 (profile data information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:12
5	2398	((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:20
6	712	(((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information))) and (adult teen\$5 child\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:21
7	560	(((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information))) and (adult parent) and (teen\$5 child\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:23
8	51	((user customer operator) near1 (profile data information)) with (adult parent) with (teen\$5 child\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:24
9	5	(((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) with (adult parent) with (teen\$5 child\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:23
10	305	((user customer operator) near1 (profile data information)) with (adult parent teen\$5 child\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:06
11	20	(((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) with (adult parent teen\$5 child\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:25
12	1637	((graphical user) adj1 interface) gui) with (customiz\$6) with (user operator customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:30
13	13	(((((graphical user) adj1 interface) gui) with (customiz\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) and ((user customer operator) near1 (profile data information)) with (adult parent teen\$5 child\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:30

14	378756	adult parent teen\$5 child\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:31
15	362	((((graphical user) adj1 interface) gui) with (customiz\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) and (adult parent teen\$5 child\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:32
16	31641	(user customer) near1 (id identification name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:48
17	196	(((((graphical user) adj1 interface) gui) with (customiz\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) and (adult parent teen\$5 child\$3)) and ((user customer) near1 (id identification name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:33
18	52	(((((graphical user) adj1 interface) gui) with (customiz\$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) and (adult parent teen\$5 child\$3)) and ((user customer) near1 (id identification name))) and (toolbar (tool adj1 bar))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:50
19	96	((user customer operator) near1 (profile data information)) same (adult parent teen\$5 child\$3) same ((user customer) near1 (id identification name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:47
20	8	((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)) and (((user customer operator) near1 (profile data information)) same (adult parent teen\$5 child\$3) same ((user customer) near1 (id identification name)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:44
21	2181	((user customer operator) near1 (profile data information)) same (age (adult parent teen\$5 child\$3) adult\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:48
22	42994	(user consumer customer) near2 (id identification name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:49
23	4529	((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user consumer customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:14
25	10	((((user customer operator) near1 (profile data information)) same (age (adult parent teen\$5 child\$3) adult\$4)) and ((user consumer customer) near2 (id identification name)) and (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user consumer customer))) and (toolbar (tool adj1 menubar)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:15
24	71	((user customer operator) near1 (profile data information)) same (age (adult parent teen\$5 child\$3) adult\$4)) and ((user consumer customer) near2 (id identification name)) and (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user consumer customer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:52

26	43	((user customer operator) near1 (profile data information)) with (adult teen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:08
27	882	((user customer operator) near1 (profile data information)) with (adult\$4 age teen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:10
28	2	((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)) same (((user customer operator) near1 (profile data information)) with (adult\$4 age teen\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:10
29	28	((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user operator customer)) and (((user customer operator) near1 (profile data information)) with (adult\$4 age teen\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:10
30	113380	(user customer operator) near1 (adult\$4 age teen\$4 profile data information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:14
31	202	((((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with ((user customer operator) near1 (adult\$4 age teen\$4 profile data information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:15
32	20	(((((user customer operator) near1 (profile data information)) same (age (adult parent teen\$5 child\$3) adult\$4)) and ((user consumer customer) near2 (id identification name)) and (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user consumer customer))) (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with ((user customer operator) near1 (adult\$4 age teen\$4 profile data information))) and (toolbar (tool adj1 (menu bar)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:20
33	27	(((((user customer operator) near1 (profile data information)) same (age (adult parent teen\$5 child\$3) adult\$4)) and ((user consumer customer) near2 (id identification name)) and (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user consumer customer))) (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with ((user customer operator) near1 (adult\$4 age teen\$4 profile data information))) and (menubar (menu adj1 bar))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:21

34	21	((((user customer operator) near1 (profile data information)) same (age (adult parent teen\$5 child\$3) adult\$4)) and ((user consumer customer) near2 (id identification name)) and (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user consumer customer))) (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with ((user customer operator) near1 (adult\$4 age teen\$4 profile data information)))) and (menubar (menu adj1 bar))) not (((((user customer operator) near1 (profile data information)) same (age (adult parent teen\$5 child\$3) adult\$4)) and ((user consumer customer) near2 (id identification name)) and (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with (user consumer customer))) (((graphical user) adj1 interface) gui) with (customiz\$6 configura\$4 reconfigur\$6) with ((user customer operator) near1 (adult\$4 age teen\$4 profile data information)))) and (toolbar (tool adj1 (menu bar))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:21
----	----	---	---	------------------